

Industrial microSD



Apacer

Industrial microSD

Overview

Apacer's industrial-grade MicroSD memory card is compliant with SD 2.0 Specification. Available in 256MB to 4GB with sequential read/write speed reaching up to 20/16 MB/sec, it fulfills requirements for flexible-capacity and high-speed data storage. With a superbly reliable SLC (single-level cell) flash memory, it can operate normally in harsh temperature environments ranging from -40°C - +85°C. Apacer stresses "stability" has always been the primary concern for industrial devices. The greatest difference between this industrial-grade MicroSD memory card and other consumer memory cards on the market lies in its firmware version and major components that can be fixed. Apacer's clients can benefit from the stable, long term supply. Besides, for clients who need long-term and stable supply chains, stock-out risk may be avoided, with compatibility issues caused by frequent product component changes significantly reduced. Time and money spent on product verification can also be saved.



Feature

- Compliant with SD 2.0 Specification
- S.M.A.R.T supported
- Support SD mode and SPI mode
- · Global Wear-Leveling and Block Management
- · Low Power Consumption



Specifications

Model	Industrial microSD
Interface	SD2.0
Form Factor	microSD
NAND Flash Type	SLC
Capacity	SD:256MB~2GB;SDHC:4GB
Sustained Read Performance (MB/sec)	Up to 20
Sustained Write Performance (MB/sec)	Up to 16
ECC Engine	Built-in 24-bit per 1K bytes BCH ECC
Extended Operating Temperature (°C)	-40 ~ + 85
Storage Temperature (°C)	-40 ~ + 85
Shock	1,500G, 0.5ms
Vibration	20Hz~80Hz/1.52mm (frequency/displacement) 80Hz~2,000Hz/20G (frequency/accelerate)
Operating Voltage	2.7V ~ 3.6V
Power Consumption	Active mode: 50 mA & Idle mode: 100 uA
Dimension (L x W x H)	15x11x1 (mm)
MTBF (hours)	>2,000,000

For more information, contact your Apacer representative

Global Presence

Taiwan (Headquarters) Apacer Technology Inc. Tel: +886-2-2267-8000

Fax: +886-2-2267-2261

Apacer Technology Corp. Tel: +81-3-5419-2668 Fax: +81-3-5419-0018

Europe Apacer Technology B.V. Tel: +31-40-267-0000

Fax: +31-40-290-0686

Apacer Technologies Pvt. Ltd. Tel: +91-80-41529061~3 Fax: +91-80-41700215

U.S.A. Apacer Memory America, Inc.

Tel: +1-408-518-8699

Fax: 1-510-249-9551

China

Apacer Electronic(Shanghai) Co., Ltd.

Tel: +86-21-6228-9939